




Bohrstangenhalter E2 L60mm DIN69880 VDI30 D16mm



95,79 €*

Preise inkl. MwSt. zzgl. Versandkosten

Artikelnummer: **2245630X16**



Eigenschaften

1_Norm:	DIN 69880
Einsatz:	zur Aufnahme von Bohrstangen
IK:	ja

Ausführungen

Co de	d1 (m m)	d2 (m m)	d6 (m m)	l7 (m m)	h1 (m m)	d8 (m m)	l3 (m m)	für Grö ße	h2 (m m)	l6 (m m)	Ge win de	1_A uße ndu rch me sse r (m m)	1_B ohr ung (m m)	L5 (m m)	Sch aftd urc hm ess er d (m m)	L7 (m m)	VE	Pre is/V E
224 562 0X2 5	-	-	-	-	-	-	-	-	-	-	M8	50	25	60	20	51	1 Stü ck	44, 63 €
224 563 0X8	30	8	68	51	28	55	22	M6	30	60	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 563 0X1 0	30	10	68	51	28	55	22	M6	30	60	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 563 0X1 2	30	12	68	51	28	55	22	M8	30	60	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 563 0X1 6	30	16	68	51	28	55	22	M8	30	60	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 563 0X2 0	30	20	68	51	28	55	22	M8	30	60	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 563 0X2 5	30	25	68	51	28	55	22	M8	30	60	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 563 0X3 2	30	32	68	61	28	68	-	M8	30	75	-	-	-	-	-	-	1 Stü ck	95, 79 €
224 564 0X8	40	8	83	61	32, 5	55	22	M8	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €
224 564 0X1 0	40	10	83	61	32, 5	55	22	M8	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €

Co de	d1 (m m)	d2 (m m)	d6 (m m)	l7 (m m)	h1 (m m)	d8 (m m)	l3 (m m)	für Grö ße	h2 (m m)	l6 (m m)	Ge win de	1_A uße ndu rch me sse r (m m)	1_B ohr ung (m m)	L5 (m m)	Sch aftd urc hm ess er d (m m)	L7 (m m)	VE	Pre is/V E
224 564 OX1 2	40	12	83	61	32, 5	55	22	M8	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €
224 564 OX1 6	40	16	83	61	32, 5	55	22	M1 0	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €
224 564 OX2 0	40	20	83	61	32, 5	55	22	M1 0	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €
224 564 OX2 5	40	25	83	61	32, 5	55	22	M1 0	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €
224 564 OX3 2	40	32	83	61	32, 5	83	-	M1 0	-	75	-	-	-	-	-	-	1 Stü ck	99, 84 €
224 564 OX4 0	40	40	83	76	32, 5	83	-	M1 0	-	90	-	-	-	-	-	-	1 Stü ck	99, 84 €